

ERR OCTAL	COND NAME	ONCODE	MESSAGE
200 0310	-0		ALL TASKS ARE WAITING ON NON I/O EVENTS. ABORT PROCEDURES TAKEN.
201 0311	-0		THE ALLOCATOR HAS REQUESTED MORE MEMORY THAN ALLOWED BY THE HARDWARE CONFIGURATION.
202 0312	-0		A REQUEST HAS BEEN MADE OF PLISYS BEFORE A CALL TO CPCINIT WAS MADE.
203 0313	-0		THE FILE CPC PROCESSOR IN PLISYS HAS RECEIVED AN ILLEGAL FUNCTION CODE.
204 0314	-0		A PROCEDURE HAS REQUESTED A SECOND PARAMETER LIST BEFORE RELEASING THE FIRST ONE
205 0315	-0		THERE HAS BEEN A REFERENCE TO AUTOMATIC STORAGE IN AN INACTIVE BLOCK.
206 0316	-0		PLIEXEP HAS RECEIVED AN ERROR NUMBER THAT IS NOT IN THE ERROR FILE INDEX.
207 0317	-0		COMMON FILE PLIERR NOT IN SYSTEM.
208 0320	-0		ILLEGAL USE OF A LOCAL FILE PLIERR PREVENTS PLIEXEP FROM BRINGING THE ERROR FILE TO THE CONTROL POINT
209 0321	-0		PL1 SYSTEM ERROR..... COMMON FILE PLIERR NOT RETURNED FROM LAST USE
210 0322	-0		THE ERROR FILE IS NOT ON AN ALLOCATABLE DEVICE.
211 0323	-0		PLIEXEP IS UNABLE TO RETURN ERROR FILE PLIERR TO THE SYSTEM.
212 0324	-0		A REFERENCE TO A PARAMETER HAS BEEN MADE BY A PROCEDURE THOUGH NO PARAMETER LIST WAS GIVEN TO IT.
300 0454	-0		IS AN UNRECOGNIZABLE KEYWORD. TREATED AS STATEMENT LABEL.
301 0455	-0		STATEMENT CURRENTLY BEING PROCESSED IS OVER THE MAXIMUM DECLARED STATEMENT SIZE
302 0456	-0		THERE ARE NO COMPILABLE STATEMENTS IN THIS PROGRAM. COMPILER ABORTS.
303 0457	-0		END OF RECORD FOUND BEFORE THE LOGICAL END OF THE PROGRAM. END STATEMENTS ARE GENERATED.
304 0460	-0		IS THE FIRST 10 CHARS OF A WORD OVER *WORDSIZE* * 10 CHARS.
305 0461	-0		CONSTITUTES A MULTIPLE DECLARATION FOR THE IDENTIFIER.
306 0462	-0		OPERATOR APPEARS TO FOLLOW A QUALIFICATION OPERATOR IN THIS AREA.
307 0463	-0		CONSTANT APPEARS TO FOLLOW QUALIFICATION OPERATOR IN THIS AREA
308 0464	-0		WORD APPEARS TO BE IN A QUALIFIER CONTEXT EXCEPT THERE ARE NO STRUCTURES IN THE CONTEXT.
309 0465	-0		A STATEMENT LABEL APPEARS IN AN EXPRESSION.
310 0466	-0		APPEARS TO BE A FILE NAME IN AN EXPRESSION.
311 0467	-0		IN THIS CONTEXT THE USE OF THE IDENTIFIER IS ILLEGAL.
312 0470	-0		IS AN UNRECOGNIZABLE ATTRIBUTE IN THIS DECLARE STATEMENT.
313 0471	-0		CONFLICTS WITH A PREVIOUS ATTRIBUTE FOR THIS IDENTIFIER.
314 0472	-0		: COMPILER ERROR..... THIS IDENTIFIER DOES NOT BEGIN WITH A LETTER.
315 0473	-0		: THIS DECLARE STATEMENT HAS UNBALANCED PARENTHESES.
316 0474	-0		: UPPER BOUND LESS THAN LOWER BOUND IN DIMENSIONAL SPECIFICATION. BOUNDS SWITCHED BY COMPILER.
317 0475	-0		IS NOT A SIMPLE INTEGER CONSTANT IN A DIMENSIONAL ATTRIBUTE.
318 0476	-0		: MISSING RIGHT PARENTHESIS INSERTED AT THE END OF THE DECLARATION FOR THIS IDENTIFIER.
319 0477	-0		: NULL DIMENSIONAL SPECIFICATION ASSUMED TO BE ** FOR THIS IDENTIFIER.
320 0500	-0		: NO CHARACTER/BIT COUNT GIVEN WITH STRING ATTRIBUTE FOR THIS IDENTIFIER.
321 0501	-0		: DECLARATION FOR THIS IDENTIFIER ENDS WITH A LEFT PARENTHESIS AFTER A STRING SPECIFICATION.
322 0502	-0		IS NOT A SIMPLE INTEGER CONSTANT IN A STRING COUNT SPECIFICATION.
323 0503	-0		: MISSING RIGHT PARENTHESIS INSERTED AFTER THIS WORD IN THE DECLARE STATEMENT.
324 0504	-0		APPEARS TO HAVE A ZERO STRING LENGTH SPECIFICATION. LENGTH SET TO 1.
325 0505	-0		WAS DECLARED WITH AN ASTERISK DIMENSION THOUGH IT IS OF THE AUTOMATIC OR STATIC STORAGE CLASS.
326 0506	-0		COMPILER ERROR..... EVICT NOT WORKING.
327 0507	-0		CONSTITUTES MORE THAN ONE LEVEL OF UPWARDS JUMP FROM THE LAST LEVEL NUMBER IN THIS STRUCTURE.
328 0510	-0		IS NOT A SIMPLE INTEGER AS REQUIRED FOR A DIMENSIONAL SPECIFICATION.
329 0511	-0		: COMPILER ERROR..... THE COMPILER HAS SPECIFIED A STRING COUNT FOR THIS NON-STRING IDENTIFIER.
330 0512	-0		HAS A STRING COUNT OR DIMENSIONAL SPECIFICATION THAT IS OVER 128K. SPECIFICATION SET TO 128K-1.
331 0513	-0		COMPILER ERROR..... TEXT ALLOCATION HAS FALLEN THROUGH THE MAIN SEQUENCE OF ALLOCSPC.
332 0514	-0		APPEARS TO BE A STRUCTURE ELEMENT WITH A STORAGE CLASS ATTRIBUTE. ATTRIBUTE IS IGNORED.
333 0515	-0		IS A DIGIT STRING OVER 262143. THE STRING HAS BEEN ASSUMED NUMERIC AND SET TO 262143.
334 0516	-0		: COMPILER ERROR..... OUT OF RANGE ARGUMENT TO FINDADR
335 0517	-0		APPEARS TO HAVE TWO LOWER BOUNDS. NEW ONE OVERRIDES PREVIOUS LOWER BOUND SPECIFICATION.
336 0520	-0		APPEARS TO BE A NON ELEMENTARY STRUCTURE ELEMENT WITH A TYPE ATTRIBUTE. TYPE ATTRIBUTE IGNORED.
337 0521	-0		THIS DECLARE STATEMENT HAS A LEVEL NUMBER FOLLOWED BY A #.#. NULL DECLARATION ASSUMED.
338 0522	-0		: MISSING QUOTE INSERTED AT END OF THIS STATEMENT
339 0523	-0		IS AN UNRECOGNIZABLE RESERVED WORD. WORD IGNORED.
340 0524	-0		IS NOT A PROPERLY DELIMITED RESERVED WORD. WORD IGNORED.
341 0525	-0		HAS A POINTER OPERATOR WITH A NON POINTER VARIABLE.

342	0526	-0	: OPERATOR FOLLOWS OPERATOR IN EXPRESSION.
343	0527	-0	: ILLEGAL OPERATOR-PARENTHESIS COMBINATION IN EXPRESSION
344	0530	-0	: TERM BEGINS WITH INFIX OPERATOR
345	0531	-0	: NOT SIGN USED AS INFIX OPERATOR
346	0532	-0	: EXPRESSION ENDS WITH OPERATOR OR PARENTHESIS
347	0533	-0	THIS STATEMENT HAS AN INTEGER OR FLOATING POINT NUMBER THAT IS OVER 30 DECIMAL DIGITS LONG
348	0534	-0	IS THE FIRST 16 CHARACTERS OF AN IDENTIFIER OR LITERAL STRING CONSTANT THAT IS OVER MAX SIZE
349	0535	-0	THIS STATEMENT HAS AN EXPONENT STRING THAT IS OVER 15 DIGITS LONG
353	0541	-0	IS THE ELEMENTARY ITEM OF AN UNEVALUATABLE QUALIFICATION EXPRESSION.
354	0542	-0	IS THE ELEMENTARY ITEM OF AN AMBIGUOUS QUALIFICATION EXPRESSION.
355	0543	-0	ILLEGAL CHARACTER IGNORED IN THIS EXPRESSION
356	0544	-0	ILLEGAL DATA TYPE COMBINATION BY BINARY OPERATOR IN ABOVE EXPRESSION
357	0545	-0	ILLEGAL USE OF POINTER QUALIFICATION TO FUNCTION REFERNECE
358	0546	-0	RIGHT PARENTHESIS INSERTED AT THE END OF THIS STATEMENT AFTER FUNCTION CALL
359	0547	-0	COMPILER ERROR ... UNRECOGNIZABLE DELIMITER AT THE END OF A FUNCTION REFERENCE
360	0550	-0	UNBALANCED PARENTHESES EXPRESSION BALLANCED BY THE COMPILER IN A FUNCTION ARGUMENT
361	0551	-0	DUPLICATE LEVEL NUMBER IGNORED BY THE COMPILER.
362	0552	-0	ILLEGAL CHARACTER IGNORED AFTER AN ATTRIBUTE IN THIS DECLARE STATEMENT..
363	0553	-0	ILLEGAL CHARACTER IGNORED IN A DIMENSION SPECIFICATION.
364	0554	-0	A DIMENSION SPECIFICATION EXCEEDS 131000 IN MAGNITUDE. FIELD SET TO 0.
365	0555	-0	ILLEGAL CHARACTER IGNORED AFTER AN IDENTIFIER OR RIGHT PARENTHESIS IN THIS DECLARE STATEMENT.
366	0556	-0	STRING COUNT MISSING FROM STRING ATTRIBUTE. STRING SIZE SET TO 1.
367	0557	-0	ILLEGAL CHARACTER IGNORED IN STRING COUNT SPECIFICATION.
368	0560	-0	IDENTIFIER APPEARS TO START WITH A NUMBER.
369	0561	-0	A LEVEL NUMBER THAT EXCEEDS 131000 IN MAGNITUDE HAS BEEN IGNORED BY THE COMPILER.
370	0562	-0	SOMETHING OTHER THAN AN IDENTIFIER OR A LEFT PARENTHESIS APPEARS TO FOLLOW A LEVEL NUMBER.
371	0563	-0	MULTIPLE SIGNS ARE NOT PERMITTED IN A DIMENSIONAL SPECIFICATION FIELD.
372	0564	-0	EXTRA RIGHT PARENTHESIS IGNORED IN THIS DECLARE STATEMENT.
373	0565	-0	THIS STATEMENT HAS AN INTEGER GREATER THAN 2**59-1. INTEGER TAKEN MODUL/ 2**59.
374	0566	-0	IS FOLLOWED BY AN ILLEGAL PERIOD. PERIOD IGNORED.
375	0567	-0	IS THE FIRST WORD OF AN UNRECOGNIZABLE STATEMENT. STATEMENT INGORED.

15.44.41.READ - 20 CARDS ON CR 6

15.44.41.Z33787X AT CP NUM 6.

15.44.41.CM=10240/ 24000B AT CP= 0, PP= 0

15.44.41.Z3378,17,100,24000,7000.

15.44.42.CM= 0/ 000B AT CP= 0, PP= 0

15.44.42.COMMON(KMUSE)

15.44.42.CM=10240/ 24000B AT CP= 0, PP= 0

15.44.42.KMUSE(KMLIB)

15.44.46.BEGIN EXECUTION USE

15.44.47.READYING SYSL

15.44.53.READYING PARML

15.44.54.READYING GOTOL

15.44.55.READYING IOSYSL

15.44.57.READYING EXEPL

15.44.59.READYING EXEML

15.44.59.READYING PASS1L

15.45.09.READYING CONTRLL

15.45.10.READYING IFACEL

15.45.12.READYING OFACEL

15.45.14.READYING DEBUGL

15.45.19.READYING LOADERL

15.45.22.READYING USEL

15.45.25.READYING CPUSIML

15.45.34.READYING PL1ERRL

15.45.35.RELEASING DISK SPACE ON FILE INPUT - WARNING ONLY

15.45.35.STOP

15.45.35.COPYBF,SYSL.

15.45.36.CM= 1344/ 2500B AT CP= 0, PP= 55

15.45.46.CM=10240/ 24000B AT CP= 0, PP= 60

15.45.46.COPYBF,PARML.

15.45.48.CM= 1344/ 2500B AT CP= 0, PP= 62

15.45.48.CM=10240/ 24000B AT CP= 0, PP= 63

15.45.48.COPYBF,GOTOL.

15.45.49.CM= 1344/ 2500B AT CP= 0, PP= 64

15.45.51.CM=10240/ 24000B AT CP= 0, PP= 65

15.45.51.COPYBF,IOSYSL.

15.45.52.CM= 1344/ 2500B AT CP= 0, PP= 67

15.45.56.CM=10240/ 24000B AT CP= 0, PP= 70

15.45.56.COPYBF,EXEPL.

15.45.57.CM= 1344/ 2500B AT CP= 1, PP= 72

15.45.59.CM=10240/ 24000B AT CP= 1, PP= 74

15.45.59.COPYBF,EXEML.

15.46.00.CM= 1344/ 2500B AT CP= 1, PP= 75

15.46.01.CM=10240/ 24000B AT CP= 1, PP= 75

15.46.01.COPYBF,PASS1L.

15.46.01.CM= 1344/ 2500B AT CP= 1, PP= 77

15.46.18.CM=10240/ 24000B AT CP= 1, PP= 92

15.46.18.COPYBF,CONTRLL.

15.46.19.CM= 1344/ 2500B AT CP= 1, PP= 93

15.46.20.CM=10240/ 24000B AT CP= 1, PP= 94

15.46.20.COPYBF,IFACEL.

15.46.21.CM= 1344/ 2500B AT CP= 1, PP= 95

15.46.23.CM=10240/ 24000B AT CP= 1, PP= 97

15.46.23.COPYBF,OFACEL.

15.46.24.CM= 1344/ 2500B AT CP= 1, PP= 98

15.46.26.CM=10240/ 24000B AT CP= 1, PP= 100

15.46.26.COPYBF,DEBUGL.

15.46.26.CM= 1344/ 2500B AT CP= 1, PP= 101

15.46.28.PRIORITY 200

15.46.43.PRIORITY 3777

15.46.48.CM=10240/ 24000B AT CP= 1, PP= 107

15.46.48.COPYBF,LOADERL.

15.46.48.CM= 1344/ 2500B AT CP= 1, PP= 108

15.46.53.CM=10240/ 24000B AT CP= 1, PP= 113

15.46.53.COPYBF,USEL.

15.46.54.CM= 1344/ 2500B AT CP= 1, PP= 114

15.46.57.CM=10240/ 24000B AT CP= 1, PP= 116

15.46.57.COPYBF,CPUSIML.

15.46.58.CM= 1344/ 2500B AT CP= 1, PP= 117

15.47.10.CM=10240/ 24000B AT CP= 1, PP= 128

15.47.10.COPYBF,PLIERRL.

15.47.10.CM= 1344/ 2500B AT CP= 1, PP= 129

15.47.11.CP 001.213 SEC.

15.47.11.PP 130.361 SEC.

15.47.11.PRINTED LINES 19596.

15.47.11.PUNCHED CARDS 0.

16.19.08.PRINT- 19713 LINES ON LP 2

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z

3378 7X BOX Z