

ADDRESS	LENGTH	BINARY CONTROL CARDS.	
0	12	IDENT.	FRETIO
12		END	

ENTRY POINTS:

LOADBUF - 0

EXTERNAL SYMBOLS.

IPLIST OPERCL SYSERR DF: LBUF

		IDENT	FRETIO
0	PARAMS	XTEXT	
0	MACROS	XTEXT	
0	SYSCALL	XTEXT	
	*		
	*		
		EXT	IPLIST,OPERCL
		EXT	SYSERR
		ENTRY	LOADBUF
	*		
		MACSET	OPERCL,IPLIST,ECS

11 010000000 X

FRET RJ SYSERR

*
*

12

END

42027

STORAGE USED
6600 ASSEMBLY

139 STATEMENTS
6.130 SECONDS

52 SYMBOLS
16 REFERENCES

I/O ROUTINES APPEARING IN FRETURN HANDLER SUBPROCESS
 SYMBOLIC REFERENCE TABLE.

COMPASS - VER 2.

01/25/71 11.55.30.

PAGE 6

DF:LBUF	0	EXTERNAL*	4/15						
FRET	11	PROGRAM*	5/10	L					
IPLIST	0	EXTERNAL*	2/11		4/15				
IP::LIST	0	EXTERNAL*	2/11	D	4/15	S	4/15	S	4/15
LOADBUF	0	PROGRAM*	2/09	E	4/14	L			
OPERCL	0	EXTERNAL*	2/11		4/14				
OP:::CLI	0	EXTERNAL*	2/11	D					
SYSERR	0	EXTERNAL*	5/10						