

TERMINATOR SUBPROCESS TAIL
STORAGE ALLOCATION.

COMPASS - VER 2.

01/26/71 14.22.41.

PAGE 1

ADDRESS	LENGTH
0	1100
1100	

BINARY CONTROL CARDS.

IDENT	TERMC
END	

ENTRY POINTS.

COMMROL - 0 DATMAP - 0 HOLDBLK - 100 FLDLEN - 1100

```

          IDENT      TERMC
*
* TERMIN TAIL
*
          ENTRY      COMMROL,DATMAP,HOLDBLK,FLDLN
*
0        PARAMS      XTEXT
*
0        COMMROL     BSS      0
0        DATMAP      BSS      64
100     HOLDBLK      BSS      L.HBLK
*
1100    FLDLEN       BSS      0
*
*
1100
          END

```

```

35164  STORAGE USED      61 STATEMENTS      48 SYMBOLS
6600 ASSEMBLY           0.645 SECONDS      9 REFERENCES

```

TERMINATOR SUBPROCESS TAIL
SYMBOLIC REFERENCE TABLE.

COMPASS - VER 2.

01/26/71 14.22.45.

PAGE 3

COMMROL	0	PROGRAM#	2/05 E	2/09 L
DATMAP	0	PROGRAM#	2/05 E	2/10 L
FLDLEN	1100	PROGRAM#	2/05 E	2/13 L
HOLDBLK	100	PROGRAM#	2/05 E	2/11 L
L.HBLK	1000		2/11	